

**CLOUSTON STREET, GLASGOW
VISUAL TREE ASSESSMENT/GROUND LEVEL TREE SURVEY**

BS 5837:2005

APRIL 2012

**ANGUS MACKAY
ARBORICULTURE CONSULTANTS
28 BALLATER DRIVE
BEARSDEN
GLASGOW G61 1BX**

TEL 0141 942 7530

FAX 0141 9429948

E MAIL Angus@mackayconsultants.com

CLOUSTON STREET, GLASGOW REF 320/540
LIST OF TREES ON SITE APRIL 2012.

COMMON NAME	GENERA/SPECIES/CULTIVARS/VAR	NO ON SITE
COMMON LIME	TILIA X EUROPAEA	17
GOAT WILLOW	SALIX CAPREA	87
SYCAMORE	ACER PSEUDOPLANTANUS	6
COMMON HAWTHORN	CRATAEGUS MONOGYNA	2
COMMON SILVER BIRCH	BETULA PENDULA	203
WYCH ELM	ULMUS GLABRA	3
COMMON ASH	FRAXINUS EXCELSIOR	11
WHITE WILLOW	SALIX ALBA	2
COMMON ELDER	SAMBUCUS NIGER	3
COMMON BUTTERFLY BUSH	BUDDLEJA DAVIDII	1
BLACK POPLAR	POPULUS NIGRA Sp. BETULAFOLIA	1
TOTAL		336

**TERMS OF REFERENCE --
GROUND LEVEL TREE SURVEY /VISUAL TREE ASSESSMENT
SURVEYOR -- ANGUS MACKAY, LANDSCAPE CONSULTANTS
SITE CLOUSTON STREET, GLAGSOW – PROPOSED DEVELOPMENT SITE**

Ref 320/540

DATE: 19 APRIL 2012

AUTHORITY

The Survey was commissioned by New City Vision and was carried out by Angus Mackay, Arboriculture Consultants on 13 – 17 April 2012.

1.0 PURPOSE

The objective of the survey was to assist the client in progressing a planning application at the above site.

2.0 SCOPE

The scope of the survey is defined as the ground- based visual examination and assessment of all trees above 7.5cm at 1.5M above ground level. Recommendations etc are made as appropriate. All comments on condition are made with reference only to the status quo position.

5.0 KEY TO SURVEY SPREADSHEETS

5.1 Tree Ref No as represented on survey tags fixed to tree stem at approximately 2M above ground level

5.2 Species: both common and botanical is given where appropriate.

5.3 Stem diameter -- only trees more than 7.5cm in diameter at 1.5m above ground level have been surveyed

5.4 Physiological condition normally G = Good, F/G = fair/Good, F= Fair, N= Normal, F/P Fair/Poor, P= Poor, D= Dead.

5.5 Structural condition – general comments on tree health, form, highlighting any defects or areas of concern.

5.6 Preliminary management recommendations- Grading category This has been carried out in line with the recommendations contained within BS 5837:2005 Trees in Relation Construction– Action required in the short term in reflecting of health and safety considerations, or on any specific criteria outlined in the schedule. This section does not give comprehensive guidance as to the long term management of the trees.

6.0 NOTES ON SURVEY SPREADSHEETS.

- 6.1** No works to commence until prior authority is gained from Local Council Planning Department. The Large Lime Trees along Clouston St are covered by a Tree Preservation order. The whole site is within a Conservation area.
- 6.2** All recommendations for arboriculture work should be attended to as soon as possible and should be carried out to BS 3998:2010 'Recommendations for Tree Work'
- 6.3** Tree works should be carried out during September through to March to avoid bird nesting season
- 6.4** Prior to commencing works all trees to be checked for Bats/Bat Roosts
- 6.5** In advance of site works/ excavations, root protection areas should be set up around trees as per BS 5837:2005 para 5.2.2
- 6.6** Protection barriers around canopies of retained trees are to be as per BS5837:2005 para 9.2.2.
- 6.7** Category 'C' trees will usually not be retained where they would impose a significant restraint on the development as per BS5837:2005

Angus Mackay DHE

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00616	Common Lime	21	N: 6 S: 6 E: 5 W: 5.5	0	56	M/A	Fair	Bifurcates at 8M	D/W/S, lift canopy to 5M & remove decayed limb at 6M to the North	2	40 +	B 2
617	Common Lime	21	N: 5 S: 6 E: 5 W: 5	0	50	M/A	Fair	Bends at 4M	D/W/S, remove Ivy & lift canopy to 5M	2	40 +	B 2
618	Common Lime	25	N: 8 S: 6 E: 5 W: 5	0	57	M/A	Poor	Possible Bats in cavity at 2M ? bends at 8, bifurcates at 15M, leaning badly to the South & severe decay at 2M	REMOVE	-	-	R
619	Common Lime	25	N: 5 S: 6 E: 5 W: 3	0	48	M/A	Poor	Severe decay at 1M, bends at 8M	REMOVE	-	-	R
620	Common Lime	25	N: 7 S: 6 E: 5 W: 4	0	50	M/A	Poor	Bifurcates at 2.5M, leaning slightly	D/W/S, reduce large limbs to the South by 50% & lift canopy to 5M MONITOR	2	20-40	C 2
621	Common Lime	25	N: 6 S: 7 E: 4 W: 4	0	54	M/A	Fair	Bends at 4M	D/W/S, lift canopy to 5M & remove hung limb	2	40 +	B 2
622	Common Lime	25	N: 4 S: 6 E: 6 W: 5	0	51	M/A	Poor	Bifurcates at inclusion at 4M & 7M	D/W/S, remove Ivy & limbs affecting overhead cables, lift canopy to 5M MONITOR	2	20-40	C 2
623	Common Lime	25	N: 6 S: 7 E: 6 W: 4	0	47	M/A	Fair	Leaning slightly to the South	D/W/S, lift canopy to 5M & remove limbs affecting building	2	40 +	B 2
624	Common Lime	26	N: 6 S: 3 E: 6 W: 5	1.8	45	M/A	Fair	Bends at 3M	D/W/S, remove Ivy & fly tipping under canopy	2	40 +	B 2
00625	Common Lime	23	N: 5 S: 6 E: 6 W: 4	0	54	M/A	Fair	Trifurcates at 8M	D/W/S, lift canopy to 5M	2	40 +	B 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+ N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00626	Common Lime	24	N: 5 S: 5.5 E: 4.5 W: 4	0	50	M/A	Fair	Bifurcates at 6M	D/W/S, lift canopy to 5M	2	40 +	B 2
627	Common Lime	25	N: 6 S: 5 E: 4 W: 4	0	51	M/A	Fair	Bifurcates at inclusion at 6M	D/W/S, lift canopy to 5M & check decay at 6M	2	20-40	C 2
628	Common Lime	21	N: 5 S: 6 E: 4 W: 5.5	0	71	M/A	Fair	Bifurcates at inclusion at 1.7M, leaning slightly to the SW	D/W/S, lift canopy to 5M	2	20-40	C 2
629	Common Lime	24	N: 6 S: 8 E: 5 W: 4	0	60	M/A	Fair	Bifurcates at 4& 5m	D/W/S, lift canopy to 5M	2	40 +	B 2
630	Common Lime	23	N: 6 S: 5 E: 4 W: 4	0	51	M/A	Fair	Bifurcates at 4.5M	D/W/S, lift canopy to 5M	2	40 +	B 2
631	Common Lime	23	N: 4 S: 7 E: 5 W: 7	0	59	M/A	Fair	Bifurcates at 10M, bends at 6M, leaning slightly to SW	D/W/S, lift canopy to 5M	2	40 +	B 2
632	Common Lime	23	N: 8 S: 5 E: 6 W: 7	0	45	M/A	Fair	Bifurcates at 4 & 9 M	D/W/S, lift canopy to 5M, remove fly tipping under canopy & large limb at 4M to the West	2	40 +	B 2
633	Goat Willow (Trees within former Playing Field Area)	8	N: 3 S: 4 E: 2 W: 1	1.5	25	Y	Poor	Leaning slightly, slight decay at base, bifurcates at 1.6M	N/W/R	3	10-20	C 2
634	Common Hawthorn D/S	8	N: 4 S: 4 E: 3 W: 4	-	30/15	M/A	Poor	60cms from Bounder fence, severe decay in crown & larger stem	REMOVE	-	-	R
00635	Common Silver Birch	8	N: 0 S: 2 E: 2 W: 1	0	9	Y	Poor	Suppressed & leaning	REMOVE	-	-	R

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00636	Wych Elm D/S	7	N: 2 S: 5 E: 1 W: 3	-	12/10	Y	Poor	Affecting boundary fence	REMOVE	-	-	R
637	Common Silver Birch M/S	14	N: 2 S: 4 E: 2 W: 2	-	20/18/8	Y	Fair	50cm from boundary fence	D/W/S, remove smaller stem affecting fence	2	20-40	C 2
638	Common Silver Birch	13	N: 2 S: 2 E: 1 W: 1	2	15	Y	Fair	Bends at 1M, 50cm from fence	D/W/S	2	20-40	C 2
639	Common Silver Birch	10	N: 2 S: 2 E: 2 W: 1	0	14	Y	Fair	Bends near base, slight root heave	N/W/R MONITOR	2	10-20	C 2
640	Common Silver Birch D/S	8	N: 3 S: 4 E: 2 W: 3	-	20/8	Y	Poor	Tight against & affecting fence & overhead cables	REMOVE	-	-	R
641	Common Silver Birch	8	N: 3 S: 3 E: 2 W: 2	0	15	Y	Fair	Slight bend at base & slight root heave	N/W/R	2	20-40	C 2
642	Common Silver Birch	6	N: 2 S: 2 E: 2 W: 2	0	11	Y	Fair	Fair	N/W/R (could be transplanted)	2	20-40	C 2
643	Common Silver Birch	14	N: 2 S: 3 E: 2 W: 3	0	18	Y	Fair	Slight root buttressing	N/W/R	2	20-40	B 1
644	Common Silver Birch	13	N: 3 S: 2 E: 2 W: 2	3	15	Y	Fair	Slight root buttressing	D/W/S	2	20-40	B 1
00645	Common Silver Birch M/S	12	N: 1 S: 3 E: 1 W: 2	-	17/13 8/8	Y	Fair	Fair	N/W/R	2	20-40	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00646	Common Silver Birch	13	N: 2 S: 2 E: 2 W: 2.5	2	13	Y	Fair	1.4M from boundary wall	D/W/S, & clean up badly pruned branches	2	20-40	B 2
647	Common Silver Birch	13	N: 3 S: 3 E: 2 W: 3	2	13	Y	Fair	Fair	N/W/R	2	20-40	B 2
648	Common Silver Birch M/S	11	N: 2 S: 2 E: 1 W: 1	-	14/19 6/6	Y	Fair	Fair	N/W/R	2	20-40	C 2
649	Common Silver Birch	6	N: 1.5 S: 1.5 E: 1.5 W: 1.5	0	8	Y	Fair	Fair	N/W/R (could be transplanted)	2	20-40	C 2
650	Common Silver Birch	13	N: 1.5 S: 1 E: 2 W: 2	1	15	Y	Fair	1,3M from wall	D/W/S, clean up old pruning wounds & remove fly tipping under canopy	2	20-40	C 2
651	Goat Willow D/s	12	N: 2 S: 1 E: 2 W: 3	-	13/7	Y	Poor	90cm from wall, suppressed & recently badly pruned	REMOVE	-	-	R
652	Common Silver Birch D/S	15	N: 2 S: 3 E: 3 W: 3	-	17/6	Y	Fair	Fair	Remove smaller stem	2	20-40	B 2
653	Common Silver Birch	13	N: 3 S: 2 E: 2 W: 3	4	14	Y	Poor	80cm from wall, leaning to the west, bends at 6M & badly pruned	REMOVE	-	-	R
654	Common Silver Birch D/S	15	N: 2 S: 4 E: 3 W: 3	-	18/16	Y	Fair	Exposed root plate	N/W/R	2	10-20	C 2
00655	Common Silver Birch D/S	12	N: 1 S: 3 E: 2 W: 1	-	13/6	Y	Fair	Bends at 30Cm, leaning slightly	N/W/R	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00656	Common Silver Birch	16	N: 3 S: 4 E: 2 W: 3	2	14	Y	Poor	Exposed root plate, bends at 7M	N/W/R	2	10-20	C 2
657	Common Silver Birch	15	N: 1 S: 1 E: 1 W: 1	1.8	9	Y	Poor	Bifurcates at 6M & suppressed	REMOVE	-	-	R
658	Common Silver Birch	15	N: 1 S: 1 E: 1 W: 2	1.7	11	Y	Fair	Fair	N/W/R	2	20-40	B 2
659	Common Silver Birch M/S	15	N: 3 S: 4 E: 1 W: 1	-	17/12 11/10	Y	Poor	Suppressed	REMOVE	-	-	R
660	Common Silver Birch	14	N: 2 S: 2 E: 2 W: 2	2	13	Y	Fair	Fair	N/W/R	2	20-40	B 2
661	Common Silver Birch D/S	15	N: 3 S: 2 E: 2 W: 3	-	20/12	Y	Fair	Leaning & root exposure, recently pruned	N/W/R	2	20-40	C 2
662	Goat Willow	8	N: 2 S: 4 E: 1 W: 3	2	10	Y	Poor	Slight root decay, leaning	Remove fly tipping under canopy	3	10-20	C 2
663	Common Silver Birch D/S	9	N: 1 S: 2 E: 1 W: 2	-	12/8	Y	Poor	Decay in main stems, bends at 4M	N/W/R	2	-10	C 2
664	Goat Willow D/S	10	N: 1 S: 3 E: 1 W: 4	-	14/11	Y	Fair	Fair	D/W/S, remove rubbing branches & smaller stem	3	10-20	C 2
00665	Goat Willow	8	N: 1 S: 3 E: 2 W: 2	1	13	Y	Fair	Bifurcates at 0.60M	D/W/S	3	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00666	Common Silver Birch D/S	9	N: 2 S: 2 E: 1 W: 1	-	13/10	Y	Fair	Slight root exposure, bifurcates at 1 & 2.5M	N/W/R	2	20-40	C 2
667	Common Silver Birch D/S	12	N: 3 S: 2 E: 2 W: 2	-	19/18	Y	Fair	Slight root exposure	N/W/R	2	20-40	C 2
668	Common Silver Birch D/S	9	N: 2 S: 3 E: 1 W: 3	-	13/13	Y	Fair	Slight root exposure	N/W/R	2	10-20	C 2
669	Common Silver Birch	12	N: 2 S: 2 E: 2 W: 1	1	13	Y	Fair	Slight root exposure	N/W/R	2	10-20	C 2
670	Common Silver Birch D/S	10	N: 3 S: 3 E: 4 W: 2	-	20/7	Y	Poor	Severe root exposure	REMOVE	-	-	R
671	Common Silver Birch	9	N: 1 S: 2 E: 1 W: 1	0	9	Y	Fair	Bends at 6 & 7 M	N/W/R	2	20-40	C 2
CENTRAL AREA RUNNING NORTH EAST TO SOUTH WEST												
672	Wych Elm	7	N: 3 S: 3 E: 3 W: 2	0	14	Y	Poor	Growing through fence, beginning to affect O h cables	REMOVE	-	-	R
673	Common Silver Birch	6	N: 2 S: 2 E: 2 W: 1.2	1	13	Y	Poor	Sever storm damage	N/W/R	2	10-20	C 2
00674	Common Elder M/S	6	N: 3 S: 1 E: 3 W: 3	0	15/10/8	M	Poor	Dying, partially on the deck	REMOVE	-	-	R

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+ N/W/R = No Work Required at this time												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00675	Common Ash	10	N: 4 S: 4 E: 5 W: 1	0	15	Y	Fair	Affecting boundary fence	RE MOVE	-	-	R
676	Common Ash	10	N: 4 S: 5 E: 5 W: 4	0	30	M/A	Fair	Impaling boundary fence	REMOVE	-	-	R
677	Common Ash	14	N: 5 S: 4 E: 4 W: 5	1	44	M/A	Poor	Bifurcates at 2M, impaling boundary fence, poor structure	REMOVE	-	-	R
678	Goat Willow D/S	11	N: 4 S: 5 E: 5 W: 3	-	30/20	M	Fair	Fair	N/W/R	3	10-20	C 2
679	Goat Willow D/S	10	N: 3 S: 3 E: 1 W: 3.5	-	23/15	M/A	Fair	Affecting adjoining fence	D/W/S, clean up old pruning stubs	3	20-40	C 2
680	Goat Willow D/S	10	N: 4 S: 2 E: 4 W: 3	-	15	M/A	Poor	Impaling adjoining fence, decay at .50M	REMOVE	-	-	R
681	Goat Willow M/S	10	N: 3 S: 3 E: 5 W: 4	-	40/17 17/15	M/A	Fair	Slight vandalism to stems, affecting tennis court wall	d/w/s, clean up old pruning stubs	3	10-20	C 2
682	Common Silver Birch	7	N: 2 S: 2 E: 2 W: 2	0	9	Y	Fair	Trifurcates at 1.4M, slight decay at 1.4M	N/W/R	2	20-40	C 2
683	Common Silver Birch	9	N: 2 S: 2 E: 3 W: 1	0.30	15	M/A	Fair	Bifurcates at 4M, slight root plate exposure	D/W/S	2	20-40	C 2
00684	Common Silver Birch	9.5	N: 2 S: 2 E: 2 W: 1	0	11	Y	Fair	Bifurcates at .30M	D/W/S, remove vandalized limb & clean up old pruning stubs	2	20-40	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1 = High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y = Young: MA = Middle Aged: M = Mature: OM = Over Mature: V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00685	Goat Willow D/S	8	N: 3 S: 3 E: 3 W: 2	-	19/11	Y	Fair	Fair	Remove smaller limbs at 0.5 & 1M	3	20-40	C 2
686	Common Silver Birch	13	N: 3 S: 2 E: 3 W: 2	0	22	M/A	Fair	Leaning slightly to the East, exposed root plate	N/W/R	2	20-40	C 2
687	Goat Willow M/S	12	N: 1 S: 3 E: 2 W: 2	-	18/13 10/10	Y	Poor	Severe decay at base, partially on the deck & vandalized	REMOVE	-	-	R
688	Goat Willow	6	N: 2 S: 2 E: 3 W: 2.5	0	9	Y	Fair	Root plate damage & root heave	REMOVE	-	-	R
689	Goat Willow M/S	5	N: 2 S: 2 E: 3 W: 2	-	16/9/6	Y	Fair	Slight decay at 2M, some vandalism	D/W/S, remove vandalized limbs	3	10-20	C 2
690	Buddleja M/S	1	N: 0 S: 0 E: 0 W: 0	-	22/8/6	M	Poor	Om the deck	REMOVE	-	-	R
691	Common Silver Birch	10	N: 3.5 S: 2 E: 2 W: 2	0	10	Y	Fair	Leaning slightly to the North East	N/W/R	2	20-40	B 1
692	Common Silver Birch	10	N: 1 S: 2 E: 2 W: 1	0	13	Y	Fair	Leaning to the South, bends at .50M	N/W/R	2	20-40	C 2
693	Common Silver Birch	11	N: 4 S: 4 E: 3 W: 3	0.30	22	M/A	Fair	Root plate exposed	N/W/R	2	10-20	C 2
00694	Common Silver Birch	12	N: 4 S: 2.5 E: 3 W: 3	1	20	M/A	Fair	Slight root heave & bifurcates at 6M	N/W/R	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00695	Common Silver Birch	10	N: 2.5 S: 2 E: 2 W: 2	1	16	Y	Fair	Bends at base, leaning slightly to the North	N/W/R	2	20-40	C 2
696	Common Silver Birch D/S	10	N: 2 S: 1 E: 1 W: 1	-	12/10	Y	Fair	Leaning slight to the North	Remove smaller stem	2	10-20	C 2
697	Goat Willow	8	N: 4 S: 0 E: 1 W: 1	1.1	9	Y	Poor	Bifurcates at 1.1M, leaning badly to the North & suppressed	REMOVE	-	-	R
698	Goat Willow	8	N: 3 S: 2 E: 1 W: 3	2	10	Y	Poor	Bifurcates at inclusion at 0.30M, suppressed	REMOVE	-	-	R
699	Goat Willow M/S	9	N: 2 S: 1 E: 1 W: 2	-	12/10/6	Y	Poor	Dying, poor condition	REMOVE	-	-	R
00700	Common Silver Birch	10	N: 1 S: 1 E: .50 W: .50	4	9	Y	Fair	Bends at 6M, slightly suppressed	N/W/R	2	10-20	C 2
701	Goat Willow	8	N: 1 S: 1 E: 1 W: .50	0	8	Y	--	Dead	REMOVE	-	-	R
702	Goat Willow M/S	9	N: 5 S: 3 E: 3 W: 2	-	16/10 9/8	Y	Fair	Slight decay at 1M, leaning badly to the North	Remove larger stem	3	-10	C 2
703	Goat Willow M/S	9	N: 2 S: 2 E: 1 W: 2	-	13/9/9	Y	Poor	Poor condition, dying	REMOVE	-	-	R
00704	Common Silver Birch	10	N: 3 S: 0 E: 0 W: 1	1.8	8	Y	Poor	Leaning badly to the North, suppressed & root heave	REMOVE	-	-	R

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00705	Goat Willow	6	N: - S: - E: - W: -	-	8	--	--	Dead vandalised	REMOVE	-	-	R
706	Goat Willow	11	N: 3 S: 2 E: 2 W: 3	0	20	Y	Poor	Vandalized	R	-	-	R
707	Common Silver Birch D/S	9	N: 2 S: 2 E: 1 W: 1.5	-	11/10	Y	Fair	Bends at 4 M	N/W/R	2	20-40	C 2
708	Goat Willow M/S	7	N: 2 S: 2 E: 2 W: 3	-	10/10/8	Y	Fair	Slightly vandalized	N/W/R	3	20-40	C 2
709	Common Silver Birch	8	N: 2 S: 1 E: 2 W: 1	0.30	8	Y	Fair	Fair	Could be transplanted	2	20-40	C 2
710	Common Silver Birch D/S	11	N: 2 S: 2 E: 1 W: 2	-	9	Y	Fair	Fair	Could be transplanted	2	20-40	C 2
711	Common Silver Birch	11	N: 1 S: 1 E: 1 W: 1	1.8	8	Y	Fair	Fair	Could be transplanted	2	20-40	C 2
712	Common Silver Birch D/S	9	N: 3 S: 3 E: 2 W: 2	-	19/16	Y	Fair	Slight decay at 2 M	D/W/S	3	10-20	C 2
713	Goat Willow D/S	11	N: 1.5 S: 1.5 E: 1 W: 2	-	11	Y	Fair	Fair	N/W/R	2	20-40	B 2
00714	Common Silver Birch D/S	10	N: 3 S: 2 E: 3 W: 2	-	17/8	Y	Fair	Root plate exposed	N/W/R	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1 = High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y = Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+ : N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00715	Common Silver Birch M/S	11	N: 2 S: 1 E: 1 W: 1.5	-	11/10/6	Y	Fair	Leaning slightly to the North East	N/W/R	2	20-40	C 2
716	Common Silver Birch	10	N: 2 S: 2 E: 2 W: 0	-	10/9/8	Y	Fair	Leaning slightly to the South east	N/W/R	2	20-40	C 2
717	Common Silver Birch	14	N: 3 S: 3 E: 2.5 W: 2	1.8	15	Y	Fair	Bifurcates at 9M	N/W/R	2	20-40	B 1
718	Goat Willow	7	N: 2 S: 1 E: 2 W: 2	1	8	Y	Poor	Vandalised near base	REMOVE	-	-	R
719	Goat Willow	11	N: 3 S: 3 E: 3 W: 3	0	10	Y	Fair	Bifurcates at 1M, inclusions at .30 & .90M, Root plate exposed	N/W/R	3	10-20	C 2
720	Common Silver Birch	12	N: 2 S: 1 E: 2 W: 1.5	0	12	Y	Good	Good	N/W/R	2	20-40	B 2
721	Common Silver Birch D/S	11	N: 2 S: 0.5 E: 2 W: 0.5	-	14/9	Y	Fair	Leaning slightly to the North East, root plate exposed	Remove smaller vandalized stem	2	10-20	C 2
722	Goat Willow	10	N: 4 S: 1 E: 2 W: 2	2	11	Y	Fair	Leaning slightly to the North	Remove pruned limb near base	3	20-40	C 2
723	Goat Willow M/S	13	N: 3 S: 3 E: 3 W: 3	-	26/13 13	Y	Fair	Fair	D/W/S	3	10-20	C 2
00724	Common Silver Birch	15	N: 4 S: 3 E: 4 W: 3	2.2	17	Y	Fair	Bends at 10M	N/W/R	2	20-40	B 1

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor : D = Dead : HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP =Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00725	Common Silver Birch D/S	15	N: 2 S: 3 E: 2 W: 2	-	16/15	Y	Fair	Fair	N/W/R	2	20-40	B 2
726	Common Silver Birch	14	N: 1 S: 1 E: 1 W: 2	6	9	Y	Fair	Bends near base and at 7M	N/W/R	2	10-20	C 2
727	Goat Willow M/S	10	N: 2 S: 2 E: 1.5 W: 1	-	11/10 8/6	Y	Fair	Fair	D/W/S	3	20-40	C 2
728	Common Silver Birch	13	N: 1 S: 1 E: 1 W: 1.5	4	9	Y	Fair	Bends at 1M, leaning slightly to the North east	N/W/R	2	20-40	C 2
729	Common Silver Birch	10	N: 2 S: 1 E: 1 W: 0.5	3	8	Y	Poor	Poor condition, bends at .50M & leaning to the NE	REMOVE	-	-	R
730	Common Silver Birch	11	N: 1 S: 1 E: 1 W: 0	1.5	11	Y	Poor	Slight root heave, leaning to the NE	REMOVE	-	-	R
731	Common Silver Birch	12	N: 4 S: 2 E: 3 W: 3	3	13	Y	Fair	Trifurcates at 0.5M, poorly pruned limbs	D/W/S	2	10-20	C 2
732	Common Silver Birch	10	N: 1 S: 1 E: 1 W: 1	6	8	Y	Fair	Slight water logging under canopy	N/W/R	2	10-20	C 2
733	Goat Willow	10	N: 1.5 S: 1 E: 1 W: 2	7	8	Y	Fair	Slight stem damage	N/W/R	2	20-40	C 2
00734	Common Silver Birch	12	N: S: E: W:	6	11	Y	Fair	Bends at 1M, root plate exposed	N/W/R	2	20-40	B 1

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00735	Goat Willow	8	N: 1 S: 2 E: 2 W: 2	3.5	10	Y	Fair	Bends at 1M	N/W/R	3	20-40	C 2
736	Goat Willow	7	N: 2 S: 1 E: 2 W: 1	0.50	8	Y	Fair	Bifurcates at inclusion at 0.30M	Lift canopy to 2M	3	10-20	C 2
737	Goat Willow	12	N: 2 S: 2 E: 2 W: 1	6	9	Y	Fair	Bends at 1 & 6M	REMOVE to allow 738 develop	3	-	R
738	Common Silver Birch	12	N: 1 S: 1 E: 1 W: 1	4	9	Y	Fair	Good	N/W/R	2	20-40	B 2
739	Goat Willow D/S	10	N: 3 S: 2 E: 3 W: 2	-	10/10	Y	Fair	Fair	D/W/S, remove damaged stem to SW	3	10-20	C 2
740	Goat Willow	14	N: 3 S: 3.5 E: 2 W: 3	4	23	M/A	Fair	Trifurcates at 3M	D/W/S	3	20-40	B 1
741	Goat Willow	9	N: 1 S: 2 E: 0 W: 3	2	9	Y	Poor	Bends at 1 7 4 M, leaning slightly to the SW	REMOVE, to allow 740 develop	-	-	R
742	Goat Willow	13	N: 2 S: 1 E: 3 W: 1	4.5	8	Y	Fair	Suppressed & leaning slightly to the NE	REMOVE	-	-	R
743	Common Silver Birch	14	N: 2 S: 1 E: 3 W: 1	4	11	Y	Fair	Bifurcates at 5M, bends at 1M, leaning slightly to the SE	N/W/R	2	10-20	C 2
00744	Common Silver Birch	14	N: 1 S: 1 E: 1 W: 1	4	8	Y	Fair	Bends at 6M, leaning slightly to the SE	N/W/R	2	10-20	C 2

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C
 CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision

D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition

D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor:

* Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran

ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time

Page 14

Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00745	Wych Elm	15	N: 3 S: 5 E: 1 W: 6	2.5	18	M/A	Fair	Bifurcates at 4M, 12cm from boundary fence, overhanging street/pavement	Balance crown	2	10-20	C 2
746	Goat Willow M/S	11	N: 4 S: 4 E: 2 W: 2	-	14/8/4	Y	Fair	Fair	Remove smaller stems	3	10-20	C 2
747	Silver Birch	14	N: 2 S: 1 E: 2 W: 1	6	10	Y	Fair	Root plate exposed & leaning slightly to the east	N/W/R	2	10-20	C 2
748	Silver Birch	14	N: 1 S: 0.5 E: 1 W: 1	4	9	Y	Fair	Fair	Remove small adjoining Goat Willow	2	10-20	C 2
749	Silver Birch	15	N: 3 S: 2 E: 3 W: 3	2	17	M/A	Fair	Root plate exposed & leaning slightly to NE	N/W/R	2	10-20	C 2
750	Silver Birch	15	N: 2 S: 2 E: 2 W: 2	2.5	13	Y	Fair	Bends at 7M, slight root heave & leaning slightly to the Ne	N/W/R	2	10-20	C 2
751	Silver Birch	14	N: 1 S: 1 E: 2 W: 2	4	13	Y	Fair	Leaning to the NE	N/W/R	2	20-40	B 1
752	Goat Willow	12	N: 2 S: 2 E: 2 W: 1.5	0.30	9	Y	Fair	Trifurcates at .30 M	N/W/R	3	20-40	C 2
753	Goat Willow	12	N: 4 S: 3 E: 3 W: 3	1	8	Y	Fair	Bifurcates at inclusions at .30 & .50M	N/W/R	3	20 - 40	C 2
00754	Goat Willow	10	N: 3 S: 2 E: 2 W: 3	1	9	Y	Fair	Trifurcates at .30M	N/W/R	3	20-40	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00755	Goat Willow	9	N: 2 S: 0.5 E: 2 W: 2	1	9	Y	Fair	Slight decay at base	N/W/R	3	10-20	C 2
756	Goat Willow	7	N: 2 S: 1 E: 2 W: 1	1.8	8	Y	Poor	Bifurcates at 0.30M, root heave & leaning to NE	REMOVE	-	-	R
757	Goat Willow D/S	10	N: 2 S: 1 E: 2 W: 0	-	12/7	Y	Poor	Suppressed & leaning to the NE	REMOVE to allow 58 develop	-	-	R
758	Common Silver Birch D/S	15	N: 5 S: 4 E: 3 W: 2	-	28/12	M/A	Fair	Root plate exposed	D/W/S	2	20-40	C 2
759	Goat Willow	13	N: 4 S: 5 E: 3 W: 3	1	13	Y	Fair	Bifurcates at inclusion at 0.9M	N/W/R	3	10-20	C 2
760	Goat Willow	10	N: 2 S: 2 E: 3 W: 1	1	10	Y	Fair	Bifurcates at 2M, slight root heave	N/W/R	3	10-20	C 2
761	Common Silver Birch	10	N: 1 S: 2 E: 3 W: 2	2	9	Y	Fair	Bends at 1 & 6M, slight root heave, leaning to NE	N/W/R	2	10-20	C 2
762	Goat Willow D/S	7	N: 2 S: 1 E: 2 W: 1.5	-	9/5	Y	Fair	Fair	N/W/R	3	10-20	C 2
763	Goat Willow	13	N: 4 S: 3 E: 3 W: 4	2	16	M/A	Poor	Affecting boundary fence, leaning to the East	REMOVE	-	-	R
00764	Goat Willow D/S	9	N: 1 S: 2 E: 2 W: 1	-	9/9	Y	Fair	Fair	Remove fly tipping under canopy	3	-10	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1 = High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y = Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00765	Goat Willow D/S	10	N: 3 S: 2 E: 3 W: 2	-	15/8	Y	Poor	Decay near base	REMOVE	-	-	R
766	White Willow	21	N: 8 S: 5 E: 6 W: 5	4	30	M	Poor	Severe root heave, leaning badly	REMOVE	-	-	R
767	Common Silver Birch	13	N: 3 S: 2 E: 3 W: 2	1.6	13	M/A	Fair	Leaning slightly to the North	N/W/R	2	20-40	B 1
768	Common Silver Birch D/S	11	N: 4 S: 3 E: 2 W: 1	-	12/10	Y	Fair	Fair	N/W/R	2	20-40	C 2
769	Common Silver Birch	12	N: 2 S: 2 E: 3 W: 1	1.8	12	Y	Fair	Broken crown, leaning slightly to the N, slight root heave	Remove fly tipping under canopy	2	10-20	C 2
770	Common Silver Birch	13	N: 2 S: 1 E: 2 W: 1	2.2	13	Y	Fair	Bends at 6M	N/W/R	2	10-20	C 2
771	Goat Willow	12	N: 4 S: 0 E: 3 W: 3	1	10	Y	Poor	Leaning to the North and affecting No 770	REMOVE to allow 770 develop	-	-	R
772	Common Silver Birch	11	N: 3 S: 1 E: 2 W: 1	1	12	Y	Poor	Root heave & bends near base	REMOVE	-	-	R
773	Common Silver Birch D/S	14	N: 6 S: 4 E: 4 W: 4	-	23/17	M/A	Fair	Fair	Remove larger stem	2	20-40	C 2
00774	Goat Willow D/S	12	N: 6 S: 4 E: 5 W: 5	-	40/20	M	Poor	Severe decay at base, growing out of boundary wall, been pollarded in the past	REMOVE	-	-	R

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00775	Goat Willow M/S	9	N: 3 S: 3 E: 3 W: 2	-	15/12 10	Y	Poor	Recently badly pruned growing out of & affecting boundary fence	REMOVE	-	-	R
776	Goat Willow M/S	8	N: 3 S: 2 E: 1 W: 2	-	13/8/5	Y	Fair	Slight root heave	N/W/R MONITOR	3	-10	C 2
777	Common Silver Birch M/S	8	N: -2 S: 2 E: 2 W: 3	-	9/9/4	Y	Fair	Fair	N/W/R	2	10-20	C 2
778	Goat Willow M/S	7	N: 4 S: 2 E: 2 W: 3	-	10/9 4/3	Y	Fair	Leaning slightly to the North	N/W/R	3	10-20	C 2
779	Common Silver Birch D/S	6	N: 1 S: 1 E: 1 W: 1	-	10/9	Y	Fair	Poor, larger stem has been pruned	Remove larger stem	2	10-20	C 2
780	Common Silver birch	17	N: 4 S: 4 E: 3 W: 3	1.8	21	M/A	Fair	Bifurcates at 7M, bends at 1M	MONITOR	2	10-20	C 2
781	Common Silver birch	14	N: 3 S: 3 E: 2 W: 1	1.5	9	Y	Normal	Trifurcates at 7m	N/W/R	2	20-40	B 2
782	Goat Willow D/S	10	N: 3 S: 2 E: 1 W: 3	-	12/7	Y	Poor	Suppressed, poor condition	REMOVE < to allow 781 develop	-	-	R
783	Goat Willow D/S	11	N: 3 S: 2 E: 3 W: 2	-	12/7	Y	Fair	Slight root heave	N/W/R	3	10-20	C 2
00784	Goat Willow	8	N: 3 S: 3 E: 3 W: 3	0	11	Y	Fair	Fair	N/W/R	3	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00785	Goat Willow D/S	14	N: 5 S: 5 E: 6 W: 6	-	27/10	M/A	Fair	Fair	N/W/R	3	20-40	C 2
00786	Common Silver Birch	16	N: 3 S: 3 E: 3 W: 3	1	20	M/A	Normal	Good	N/W/R	2	20-40	B 2
787	Goat Willow D/S	12	N: 1 S: 3 E: 4 W: 1	-	16/7	Y	Fair	Fair	REMOVE to allow 786 develop	-	-	R
788	Goat Willow	12	N: 4 S: 3 E: 4 W: 1	0	9	Y	Fair	Fair	N/W/R	3	20-40	C 2
789	Common Silver Birch	12	N: 3 S: 1 E: 2 W: 1	1	10	Y	Fair	Leaning slightly to the North	N/W/R	2	20-40	B 1
790	Common Silver Birch	16	N: 3 S: 3 E: 3 W: 2	0	15	Y	Fair	Bends at 1 & 2 M	N/W/R	2	20-40	B 1
791	Common Silver Birch D/S	12	N: 2 S: 2 E: 2 W: 2	-	13/7	Y	Normal	Normal	N/W/R	2	20-40	B 2
792	Common Silver Birch	7	N: 2 S: 1 E: 1 W: 2	0.30	7	Y	Fair	Bends near base	Remove small adjoining Goat Willow	2	10-20	C 2
793	Goat Willow M/S	9	N: 2 S: 3 E: 3 W: 3	-	11/11/6	Y	Fair	Fair	Remove small Silver Birch at base	3	20-40	C 2
00794	Common Silver Birch D/S	15	N: 5 S: 5 E: 4 W: 4	-	14/12	Y	Fair	Fair	N/W/R	2	20-40	B 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00795	Common Silver Birch	11	N: 2 S: 2 E: 2 W: 4	1	12	Y	Fair	Slight root heave, bends near base	MONITOR	2	-10	C 2
796	Common Silver Birch D/S	14	N: 4 S: 2 E: 4 W: 3	0	22/8	M/A	Fair	Bifurcates at 8M, root plate exposed	Remove smaller stem MONITOR	2	10-20	C 2
797	Common Silver Birch D/S	12	N: 3 S: 3 E: 3 W: 1	-	20/16	M/A	Fair	Larger stem has been pollarded at 0.6M	Remove larger stem	2	10-20	C 2
798	Common Silver Birch	16	N: 3 S: 3 E: 4 W: 2	0	16	Y	Poor	Broken crown & bifurcates at 8M	REMOVE	-	-	R
799	Common Silver Birch D/S	15	N: 3 S: 4 E: 4 W: 2	-	16/13	Y	Fair	Fair	N/W/R	2	20-40	B 2
00800	Common Silver Birch	11	N: 2 S: 2 E: 2 W: 2	0	12	Y	Fair	Fair	N/W/R	2	20-40	B 2
801	Common Silver Birch D/S	14	N: 3 S: 4 E: 3 W: 2	-	18/15	Y	Fair	Bifurcates at 0.50M	N/W/R	2	20-40	C 2
802	Common Silver Birch	11	N: 1 S: 1 E: 2 W: 0	1.5	10	Y	Poor	Leaning to the east, slight root heave	REMOVE	-	-	R
803	Common Silver Birch D/S	15	N: 3 S: 2 E: 3 W: 1	-	17/13	M/A	Fair	Slight root heave	N/W/R	2	10-20	C 2
00804	Common Silver Birch D/S	16	N: 3 S: 3 E: 2 W: 3	-	18/17	M/A	Fair	Slight root heave	Remove larger stem to the South	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00805	Goat Willow M/S	8	N: 2 S: 3 E: 1 W: 3	-	15/14 10	Y	Fair	Fair	N/W/R	3	10-20	C 2
806	Goat Willow M/S	9	N: 5 S: 4 E: 5 W: 4	-	18/15 14	Y	Fair	Fair	N/W/R	3	10-20	C 2
807	Common Silver Birch	13	N: 1 S: 1 E: 1 W: 1.5	1	10	Y	Poor	Suppressed, slight root heave & leaning to the North	REMOVE	-	-	R
808	Goat Willow M/S	9	N: 0 S: 3 E: 3 W: 2	-	20/15 15	Y	Poor	Severe decay at base, partially on the deck	REMOVE	-	-	R
809	Common Silver Birch	15	N: 4 S: 4 E: 4 W: 4	0	21	M/A	Fair	Leaning slightly to the NE, root plate exposed	N/W/R	2	10-20	C 2
810	Goat Willow	7	N: 2 S: 2 E: 2 W: 2	0	9	Y	Fair	Fair	N/W/R	3	10-20	C 2
811	Common Silver Birch	8	N: 3 S: 3 E: 2 W: 1	0	8	Y	Fair	Bifurcates at 0.30M	N/W/R	2	10-20	C 2
812	Common Silver Birch D/S	6	N: 1 S: 1 E: 1 W: 1	--	11/7	Y	Fair	Could be transplanted	N/W/R	2	10-20	C 2
813	Common Ash (Trees within former Tennis Court)	10	N: 5 S: 4 E: 5 W: 5	3	30	M/A	Poor	Affecting boundary fence, footpath & traffic	REMOVE	-	-	R
00814	Common Ash	8	N: 1 S: 3 E: 3 W: 3	0	18	M/A	Fair	Fair	D/W/S, remove small adjoining, dying Elder	3		C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00815	Common Ash	10	N: 3 S: 2 E: 2 W: 2	4	14	Y	Fair	Bends at 3M, affecting no 816	REMOVE	-	-	R
816	Sycamore	9	N: 5 S: 5 E: 2 W: 3	0	20	M/A	Fair	Bifurcates at 5M, 60cms from boundary fence	Remove branches affecting road/traffic	3	40 +	B 1
817	Common Ash D/S	10	N: 4 S: 1 E: 2 W: 1	-	9/5	Y	Poor	Impaled on boundary fence railings, bends at 2M	REMOVE	-	-	R
818	Common Ash	8	N: 2 S: 1 E: 2 W: 1	1	12	Y	Poor	Impaled on railings, dye back on crown	REMOVE	-	-	R
819	Common Ash	9	N: 3 S: 3 E: 2 W: 3	0	15	M/A	Fair	Bifurcates at 1M, 40cms from boundary railings	D/W/S	3	20-40	C 2
820	Common Ash D/S	9	N: 4 S: 4 E: 2 W: 1	-	20/12	M/A	Poor	Impaled on railings	REMOVE	-	-	R
821	Sycamore M/S	11	N: 5 S: 5 E: 5 W: 3	0	28/20 18/17 11	M/A	Poor	Impaled on railings	REMOVE	-	-	R
822	Goat Willow	9	N: 4 S: 3 E: 4 W: 5	0	30	M/A	Fair	Trifurcates at 0.30M, 0.40M from fence	D/W/S	3	10-20	C 2
823	White Willow	23	N: 9 S: 6 E: 7 W: 7	0	63	M	Fair	Root plate affecting foot path	D/W/S, remove decaying stems at 1m, reduce 2 large limbs to Se overhanging street	3	20-40	B 1
00824	Common Silver Birch	7	N: 1.0.5 S: 1 E: 2 W:	0	10	Y	Fair	Decay at 1.5M, leaning slightly to the West	N/W/R	2	20-40	C 2

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C												
CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision												
D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition												
D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1 = High: 2 = Moderate: 3 = Poor:												
* Double & Multi Stem measured at just above root flare AGE CLASS Y = Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran												
ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00825	Common Silver Birch D/S	11	N: 1 S: 1.5 E: 1 W: 2	-	12/10	Y	Fair	Bends at 0.30M, leaning slightly to the West	N/W/R	2	20-40	C 2
826	Common Silver Birch D/S	8	N: 1 S: 2 E: 0.50 W: 2	-	9/9	Y	Poor	Bends at 1M & suppressed	REMOVE	-	-	R
827	Common Silver Birch	15	N: 2 S: 2 E: 2 W: 2	0	14	Y	Normal	Slight root exposure	N/W/R	2	20-40	B 1
828	Common Silver Birch M/S	10	N: 2 S: 2 E: 2 W: 2	-	12/8/8 7	Y	Fair	Fair	N/W/R	2	20-40	C 2
829	Common Silver Birch	12	N: 2 S: 1 E: 2 W: 2	0	13	Y	Fair	Leaning slightly to the North, slight root heave	MONITOR	2	20-40	C 2
830	Common Silver Birch	15	N: 3 S: 2 E: 3 W: 2	2	16	Y	Fair	Slight root exposure	N/W/R	2	20-40	B 1
831	Common Silver Birch	15	N: 3 S: 3 E: 4 W: 3	2	15	Y	Fair	Birds nest in canopy, root plate damage due to wild life	Remove small adjoining Willow	2	10-20	C 2
832	Common Elder M/S	7	N: 3 S: 2 E: 2 W: 1	-	15/9/7	M	Fair	Poor condition, crown die back	D/W/S	1	-10	C 2
833	Common Hawthorn	6	N: 2 S: 2 E: 2 W: 3	1	20	Y	Fair	Slight decay in main stem	D/W/S	1	-10	C 2
00834	Goat Willow D/S	10	N: 4 S: 4 E: 2 W: 1	-	16/13	Y	Fair	Die back in crown, excavations under canopy	REMOVE	-	--	R

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00835	Common Silver Birch M/S	15	N: 2 S: 3 E: 2 W: 1	-	20/12/8	M/A	Normal	Good condition	Remove smaller stems	2	20-40	B 2
836	Common Silver Birch	15	N: 2 S: 2 E: 1.5 W: 1.5	1.8	16	M/A	Poor	Leaning badly to the North	REMOVE	-	-	R
837	Goat Willow D/S	9	N: 2 S: 3 E: 2 W: 2	-	15/9	Y	Fair	Bifurcates at 3M	N/W/R	2	10-20	C 2
838	Common Silver Birch D/S	15	N: 3 S: 2 E: 2 W: 1.5	-	18/8	Y	Fair	Leaning slightly to the NE	N/W/R	3	20-40	C 2
839	Common Silver Birch	13	N: 2 S: 2 E: 3 W: 1	4	12	Y	Fair	Leans to the Ne	N/W/R	2	10-20	C 2
840	Common Silver Birch	14	N: 2 S: 2 E: 2 W: 3	4	13	Y	Fair	Bends at 4.5, leans to NE, Root plate exposed	N/W/R	2	10-20	C 2
841	Common Silver Birch D/S	13	N: 3 S: 2 E: 2 W: 1	-	12/6	Y	Poor	Root heave & bends near base	REMOVE	-	-	R
842	Black Poplar	27	N: 9 S: 8 E: 8 W: 7	4	115	M	Poor	Severe decay in main stem, root plate affecting foot path, been pollarded in the past	REMOVE (URGENT)	-	-	R
843	Common Silver Birch	10	N: 1 S: 1.5 E: 2 W: 1	0	8	Y	Fair	Bends at 4M, leans to NE	N/W/R	2	-10	C 2
00844	Common Silver Birch	10	N: 1 S: 1 E: 1 W: 1	2.5	8		Normal	Normal	Could be transplanted	2	20-40	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00845	Common Silver Birch	10	N: 1 S: 1 E: 1 W: 1	4	9	Y	Fair	Bends near base	N/W/R	2	20-40	C 2
846	Common Silver Birch	13	N: 3 S: 2 E: 2 W: 2	5	13	Y	Fair	Slight root exposure	N/W/R	2	10-20	C 2
847	Common Silver Birch	13	N: 1 S: 1 E: 1 W: 1.5	1.8	11	Y	Fair	Bends near base, leaning to the NE	N/W/R	2	10-20	C 2
848	Common Silver Birch	15	N: 3 S: 3 E: 2.5 W: 3	3	18	M/A	Fair	Trifurcates at 9M, leaning slightly to the W	N/W/R	2	10-20	C 2
849	Common Silver Birch	9	N: 0 S: 2 E: 3 W: 1	3	8	Y	Fair	Bends near base	N/W/R	2	10-20	C 2
850	Common Silver Birch	10	N: 1 S: 1 E: 0.5 W: 1	4	11	Y	Fair	Leaning slightly to the N	N/W/R	2	10-20	C 2
851	Common Silver Birch	10	N: 2 S: 2 E: 1 W: 1	0.3	9	Y	Fair	Bends at 1M	N/W/R	2	10-20	C 2
852	Common Silver Birch	10	N: 1 S: 2 E: 1 W: 2	2.5	9	Y	Fair	Leaning slightly to the NW	N/W/R	2	10-20	C 2
853	Common Silver Birch	10	N: 1 S: 1 E: 1 W: 1	4	9	Y	Normal	Good condition	N/W/R	2	20-40	B 2
00854	Common Silver Birch M/S	12	N: 3 S: 2 E: 1 W: 1	--	13/10/6	Y	Fair	Bifurcates at 7M	N/W/R	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00855	Sycamore	15	N: 5 S: 7 E: 5 W: 6	0	38	M/A	Fair	Poor vigour, bends at 1.8M	Lift canopy to 5M	3	20-40	B 1
856	Goat Willow M/S	10	N: 2 S: 2 E: 2 W: 1	-	11/6/3	Y	Poor	Decay near base	REMOVE	-	-	R
857	Goat Willow	10	N: 4 S: 4 E: 3 W: 3	2.5	11	Y	Fair	Bifurcates at 0.3M	N/W/R	3	10-20	C 2
858	Goat Willow M/S	9	N: 3 S: 4 E: 3 W: 3	-	10/10/9	Y	Fair	Fair	N/W/R	3	10-20	C 2
859	Goat Willow	10	N: 4 S: 3 E: 3 W: 2	1	12	Y	Fair	Trifurcates at 1.5M	N/W/R	3	10-20	C 2
860	Common Silver Birch	9	N: 2 S: 2 E: 2 W: 1	1.8	11	Y	Fair	Bends at 0.3M, root plate exposed	N/W/R	2	10-20	C 2
861	Common Silver Birch	6	N: 1 S: 1 E: 2 W: 1	0	8	Y	Fair	Severe decay at base	N/W/R	2	-10	C 2
862	Common Elder M/S	6	N: 1 S: 1 E: 2 W: 1	-	30/12 12	Y	Poor	Recently pollarded, growing out of gable foundations & leaning to the E	REMOVE	-	-	R
863	Sycamore D/S	7	N: 4 S: 1 E: 1 W: 3	-	20/17	Y	Poor	Decay at 0.3M, affecting building	REMOVE	-	-	R
00864	Goat Willow D/S	10	N: 5 S: 5 E: 5 W: 4	-	30/17	M/A	Fair	Trifurcates at 0.40M, fire damaged stem	D/W/S, clean up old pruning stubs	3	10-20	C 2

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+ : N/W/R = No Work Required at this time												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00865	Goat Willow	9	N: 4 S: 4 E: 4 W: 4	0	22	M/A	Fair	Bifurcates at 0.3 & 0.5M	D/W/S, clean up old pruning stubs	3	10-20	C 2
866	Common Ash D/S	8	N: 3 S: 3 E: 3 W: 2	0	12/11	Y	Poor	Growing out of wall & stem damage, decay at 2m	REMOVE	-	-	R
867	Common Silver Birch	13	N: 2 S: 2 E: 2 W: 2	4	19	M/A	Poor	Severe fire damage	REMOVE	-	-	R
868	Common Silver Birch M/S	9	N: 2 S: 2 E: 2 W: 1	-	14/7/6	Y	Poor	Growing from old stump, decay at base	REMOVE	-	-	R
869	Common Silver Birch	13	N: 2 S: 2 E: 2 W: 3	3	19	Y	Fair	Bifurcates at 9M, slight root exposure	N/W/R	2	10-20	C 2
870	Common Silver Birch M/S	14	N: 3 S: 3 E: 2 W: 3	-	19/18 7/6	Y	Fair	Fair	N/W/R	2	10-20	C 2
871	Common Silver Birch D/S	11	N: 1 S: 1.5 E: 1 W: 1	-	15/7	Y	Fair	Fair	N/W/R	2	20-40	B 2
872	Common Silver Birch	9	N: 1 S: 1 E: 1.5 W: 1	2	9	Y	Fair	Bends at 0.50M	N/W/R	2	20-40	C 2
873	Common Silver Birch	14	N: 2 S: 3 E: 2 W: 2	0	14	Y	Normal	Good condition	N/W/R	2	20-40	B 2
00874	Common Silver Birch	14	N: 4 S: 3 E: 2 W: 3	0	16	M/A	Fair	Slight root exposure	D/W/S, remove damaged limbs	2	20-40	B 1

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00875	Common Silver Birch	7	N: 0.5 S: 1.5 E: 1.5 W: 0.5	0	8	Y	Poor	Bends at 0.34 & 0.5M	REMOVE, to allow 876 develop	-	-	R
876	Common Silver Birch	11	N: 2 S: 3 E: 2 W: 2	0	10	Y	Fair	Fair	N/W/R	2	20-40	B 2
877	Goat Willow M/S	9	N: 5 S: 5 E: 5 W: 6	-	22/21 10/8	M/A	Poor	Growing out of wall & fire damaged	REMOVE	-	-	R
878	Sycamore	12	N: 2 S: 2 E: 1 W: 2	3	15	Y	Fair	Bifurcates at 5M, 0.2M from wall	N/W/R	3	20-40	C 2
879	Common Silver Birch	15	N: 3 S: 3 E: 2 W: 2	2	24	M/A	Poor	Tight against retaining wall	REMOVE	-	-	R
880	Goat Willow M/S	11	N: 4 S: 3 E: 4 W: 4	-	38/20 15/15	M/A	Poor	Affecting retaining wall, root heave & stem damage	REMOVE	-	-	R
881	Common Silver Birch M/S	11	N: 2 S: 2 E: 4 W: 2	-	13/13/7	Y	Poor	Fire damaged & root exposure, leaning to the SE	REMOVE	-	-	R
882	Common Silver Birch M/S	9	N: 2 S: 1 E: 2 W: 1	-	12/10/3	Y	Poor	Vandalized at stem	REMOVE	-	-	R
883	Common Silver Birch	15	N: 2 S: 2 E: 3 W: 3	0	17	M/A	Normal	Good condition	N/W/R	2	20-40	B 2
00884	Common Silver Birch	12	N: 2 S: 2 E: 1 W: 1	1.5	12	Y	Fair	Leaning slightly to East, bifurcates at 9M	N/W/R	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead : HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP =Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00885	Goat Willow D/S	9	N: 2 S: 2 E: 1 W: 1	-	14/12	Y	Fair	Fair	N/W/R	3	20-40	C 2
886	Goat Willow M/S	10	N: 3 S: 3 E: 2 W: 3	-	15/10 12	Y	Fair	Slight decay near base	N/W/R	3	10-20	C 2
887	Common Silver Birch	12	N: 2 S: 2 E: 1 W: 1	3	12	Y	Fair	Fair	Remove small adjoining Goat Willow	2	20-40	C 2
888	Common Silver Birch D/S	12	N: 2 S: 1 E: 1 W: 1	-	10/8	Y	Fair	Leaning slightly to the North	N/W/R	2	10-20	C 2
889	Common Silver Birch	14	N: 4 S: 3 E: 3 W: 1	1.3	16	M/A	Fair	Bifurcates at 4M, slight root exposure	N/W/R	2	10-20	C 2
890	Common Silver Birch	16	N: 2 S: 3 E: 3 W: 2	1	18	M/A	Fair	Roots exposed	N/W/R	2	10-20	C 2
891	Common Silver Birch	16	N: 2 S: 2 E: 2 W: 1	1.8	12	Y	Fair	Leaning slightly to the east	N/W/R	2	10-20	C 2
892	Common Silver Birch D/S	16	N: 3 S: 2 E: 3 W: 3	-	19/8	M/A	Fair	Roots exposed	N/W/R	2	10-20	C 2
893	Common Silver Birch D/S	16	N: 2 S: 2 E: 2 W: 1	-	15/8	M/A	Fair	Bifurcates at 9M	N/W/R	2	20-40	C 2
00894	Goat Willow	10	N: 4 S: 4 E: 3 W: 4	0	15	M/A	Poor	Damaging fence & retaining wall, decay in main stem	REMOVE	-	-	R

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead : HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP =Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00895	Common Silver Birch	16	N: 4 S: 5 E: 4 W: 4	0	22	M/A	Fair	Bifurcates at 9 & 11M, 40cms from wall, bends aty1M	N/W/R	2	10-20	C 2
896	Common Silver Birch	13	N: 5 S: 4 E: 4 W: 4	0.40	15	M/A	Fair	Affecting fence	REMOVE	-	-	R
897	Common Silver Birch M/S	8	N: 2 S: 2 E: 1 W: 2	-	12/8/3	Y	Fair	Trifurcates at 6M	N/W/R	2	10-20	C 2
898	Common Silver Birch M/S	11	N: 3 S: 2 E: 3 W: 2	-	12/10/5	Y	Fair	Bends at 3M	N/W/R	2	20-40	C 2
899	Common Silver Birch	12	N: 1 S: 1 E: 1 W: 1	4	10	Y	Fair	Bends at 4M, leaning to the North	N/W/R	2	10-20	C 2
00900	Common Silver Birch	12	N: 2 S: 2 E: 2 W: 2	1.8	12	Y	Normal	Good condition	N/W/R	2	20-40	B 2
901	Common Silver Birch	10	N: 1.5 S: 1 E: 1 W: 1	4	10	Y	Normal	Good condition	N/W/R	2	20-40	B 2
902	Common Silver Birch D/S	16	N: 5 S: 4 E: 4 W: 3	-	28/12	M/A	Normal	Bifurcates at 6M, slight root exposure	Remove smaller stem	2	10-20	B 1
903	Common Silver Birch	15	N: 1 S: 1 E: 1.5 W: 1	3	11	Y	Fair	Affecting fence	REMOVE	-	-	R
00904	Common Silver Birch	15	N: 2 S: 2 E: 1 W: 1	1.5	12	Y	Fair	Leaning to the SE	N/W/R	2	10-20	C 2

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1 = High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y = Young: MA = Middle Aged: M = Mature: OM = Over Mature: V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+ N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00905	Common Silver Birch	15	N: 2 S: 3 E: 1 W: 3	4	10	Y	Fair	Fair	Remove adjoining Goat Willow	2	10-20	C 2
906	Goat Willow	15	N: 3 S: 5 E: 2 W: 4	4	14	M/A	Fair	Leaning to the South, affecting fence, bifurcates at 1.8M	REMOVE	-	-	R
907	Common Silver Birch	15	N: 2 S: 3 E: 2 W: 1	4	16	M/A	Poor	Leaning to the SE	N/W/R	2	10-20	C 2
908	Goat Willow M/S	14	N: 4 S: 2 E: 4 W: 2	-	17/12 10	Y	Poor	Affecting fence & decay at 1M	REMOVE	-	-	R
909	Goat Willow	10	N: 4 S: 4 E: 4 W: 4	0	12	Y	Poor	Bifurcates at 0.30M & affecting fence	REMOVE	-	-	R
910	Goat Willow	12	N: 3 S: 2 E: 2 W: 2	0.5	14	M/A	Poor	Trifurcates at 8M & affecting fence	REMOVE	-	-	R
911	Common Silver Birch D/S	15	N: 2 S: 1 E: 1 W: 2	-	15/10	Y	Fair	Bifurcates at 4 & 12 M & affecting fence	REMOVE	-	-	R
912	Goat Willow M/S	10	N: 3 S: 4 E: 1 W: 2	-	15/13 10	Y	Poor	Decay in main stem	REMOVE	-	-	R
913	Common Silver Birch	16	N: 3 S: 2 E: 2 W: 2	3	15	M/A	Poor	Bends at 7M, affecting fence & decay at base	REMOVE	-	-	R
00914	Common Silver Birch	15	N: 3 S: 4 E: 4 W: 1	2.5	14	M/A	Poor	Bends at 1M, affecting fence, trifurcates at 5M	REMOVE	-	-	R

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C												
CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision												
D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition												
D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor:												
* Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran												
ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time Page 31												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00915	Common Silver Birch D/S	16	N: 4 S: 4 E: 3 W: 2	-	23/20	M/A	Poor	Bends at 5M, trifurcates at 8M, affecting fence	REMOVE	-	-	R
916	Common Silver Birch D/S	9	N: 4 S: 4 E: 3 W: 2	-	20/9	M/A	Fair	Fair	N/W/R	3	10-20	C 2
917	Common Silver Birch	10	N: 1 S: 1 E: 1 W: 1	4	10	Y	Normal	Good condition	N/W/R	2	20-40	B 2
918	Common Silver Birch	7	N: 1 S: 1 E: 1 W: 1	0.20	8	Y	Fair	Bends near base	N/W/R	2	20-40	C 2
919	Common Silver Birch	7	N: 1 S: 1 E: 1 W: 1	0	9	Y	Normal	Good condition	N/W/R	2	20-40	B 2
920	Common Silver Birch	8	N: 1 S: 1 E: 1 W: 1	1	8	Y	Normal	Bends at 0.50M	N/W/R	2	20-40	B 1
921	Common Silver Birch M/S	10	N: 2 S: 2 E: 3 W: 2	-	12/11/6	Y	Fair	Bends near base	N/W/R	2	20-40	C 2
922	Common Silver Birch	10	N: 1 S: 1 E: 1 W: 1.5	1	9	Y	Normal	Good condition	N/W/R	2	20-40	B 2
923	Common Silver Birch	13	N: 3 S: 3 E: 3 W: 2	2	13	M/A	Fair	Bends at 1M	N/W/R	2	10-20	C 2
00924	Common Silver Birch	12	N: 1 S: 1 E: 1 W: 1	3	10	Y	Fair	Leaning slightly to the South, bends at 3M	N/W/R	2	10-20	C 2

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00925	Common Silver Birch M/S	12	N: 4 S: 3 E: 2 W: 2	-	10/8/8	Y	Poor	Root heave, leaning badly to the South	REMOVE	-	-	R
926	Common Silver Birch	12	N: 2 S: 1 E: 2 W: 1	3	10	Y	Poor	Fire damaged & bifurcates at 9M	REMOVE	-	-	R
927	Common Silver Birch D/S	14	N: 3 S: 2 E: 3 W: 3	-	12/11	Y	Normal	Good condition	N/W/R	2	20-40	B 2
928	Common Silver Birch	16	N: 3 S: 3 E: 3 W: 2	1	14	M/A	Fair	Bifurcates at 8 & 12 M and near base	Remove sub soil under canopy	2	10-20	C 2
929	Common Silver Birch	17	N: 4 S: 3 E: 2 W: 3	2.5	17	M/A	Normal	Good	N/W/R	2	20-40	B 2
930	Common Silver Birch	14	N: 1 S: 1 E: 2 W: 2	3	11	Y	Fair	Bends near base, trifurcates at 9M	N/W/R	2	10-20	C 2
931	Common Silver Birch	15	N: 3 S: 3 E: 2 W: 2	3	16	M/A	Fair	Slight root exposure, leaning to the East	N/W/R	2	10-20	C 2
932	Common Silver Birch	12	N: 1.5 S: 0.5 E: 1 W: 1	4	9	Y	Fair	Spindly	N/W/R	2	10-20	C 2
933	Common Silver Birch	11	N: 1 S: 1 E: 1 W: 1	4.5	8	Y	Fair	Bends near base, spindly	N/W/R	2	10-20	C 2
00934	Goat Willow	11	N: 2 S: 2 E: 1 W: 3	4	12	Y	Poor	Severe crown die back	REMOVE	-	-	R

<p>GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time</p>												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00935	Goat Willow	10	N: 1 S: 2 E: 3 W: 1	1.8	11	Y	Fair	Bends at 1 & 2 M	N/W/R	3	10-20	C 2
936	Common Silver Birch	12	N: 1 S: 1 E: 2 W: 1	2	10	Y	Fair	Bends near base	N/W/R	2	20-40	C 2
937	Common Silver Birch	11	N: 2 S: 1 E: 2 W: 1	3	12	Y	Poor	Slight root heave, bends at 1M & leaning to the North	REMOVE	-	-	R
938	Common Silver Birch	15	N: 3 S: 3 E: 3 W: 3	0	18	M/A	Fair	Bifurcates at 9M	N/W/R	2	20-40	C 2
939	Common Silver Birch	15	N: 2 S: 2 E: 2 W: 1	2.5	14	M/A	Fair	Leaning to the NE	N/W/R	2	20-40	C 2
940	Common Silver Birch	14	N: 1 S: 1 E: 1 W: 1	0	12	Y	Fair	Bends at 5M	N/W/R	2	20-40	C 2
941	Common Silver Birch D/S	12	N: 2 S: 1 E: 2 W: 1	-	14/12	Y	Fair	Fair	N/W/R	2	20-40	C 2
942	Common Silver Birch D/S	10	N: 2 S: 2 E: 2 W: 1	-	12/9	Y	Fair	Bifurcates at 3M	N/W/R	2	20-40	C 2
943	Common Silver Birch D/S	13	N: 3 S: 2 E: 2 W: 3	-	14/9	Y	Fair	Poor condition	Remove larger bent stem	2	10-20	C 2
00944	Common Silver Birch	11	N: 1 S: 1 E: 1 W: 1	0	10	Y	Fair	Bends at 1 & 2.5M	N/W/R	2	20-40	C 2

GROUND LEVEL TREE SURVEY : Clouston Street, Glasgow DATE OF SURVEY: 13 – 17 April 2012 SURVEY: 320/540 WEATHER: dry, calm 6C CARRIED OUT BY MACKAY CONSULTANTS BS5837:2005 CLIENT: New City Vision												
D/W/S = Remove Dead Wood & Snags: R = Remove: G = Good: F = Fair: P = Poor: D = Dead: HCC = Height of Crown Clearance: Physio Cond. = Physiological Condition D/S = Double Stem: M/S = Multi Stem: AS = Aerial Survey Recommended: DDT = Decay Detection Test Recommended: WLP = Wild Life Potential 1= High: 2 = Moderate: 3 = Poor: * Double & Multi Stem measured at just above root flare AGE CLASS Y= Young: MA = Middle Aged: M = Mature: OM = Over Mature : V = Veteran ERY = Estimated Remaining Years = -10, 10 – 20, 20 – 40, 40+: N/W/R = No Work Required at this time												
Tree Ref No	Species	Height approx M	Branch Spread Approx. M	Height of Crown clearance M	Stem Diam at 1.5M AGL CM *	Age Class	Physio Cond.	Structural Condition	Preliminary Management Recommendations	WLP	E.R.Y	Grading Category
00945	Common Silver Birch M/S	11	N: 1 S: 1 E: 1 W: 2	-	13/7/5	Y	Fair	Poor, decay at base	N/W/R	2	10-20	C 2
946	Common Silver Birch	15	N: 2 S: 2 E: 2 W: 2	2	14	Y	Fair	Bends at 0.80M, bifurcates at 9M	N/W/R	2	20-40	C 2
947	Common Silver Birch M/S	16	N: 3 S: 2 E: 1 W: 2	-	13.9.7	Y	Fair	Bends at 1M, bifurcates at 9M	N/W/R	2	20-40	C
948	Goat Willow D/S	10	N: 3 S: 0 E: 2 W: 2	-	16/14	Y	Poor	Affecting boundary fence, decay at 2M	REMOVE	-	-	R
949	Sycamore D/S	18	N: 4 S: 3 E: 3 W: 5	-	15/15	M/A	Fair	Affecting fence	REMOVE	-	-	R
950	Goat Willow	15	N: 4 S: 4 E: 5 W: 4	1	13	M/A	Fair	Bifurcates at 0.3 & 0.4M, affecting fence	REMOVE	-	-	R
00951	Common Silver Birch	6	N: 1 S: 1 E: 1 W: 1	0.40	8	Y	Fair	Bends at 1 & 2M	N/W/R	2	20-40	C

N.B MAJORITY OF TREES EXCLUDING LIMES ARE SELF SOWN – Common Silver Birch and Goat Willow are Pioneer species on this former Blaes Sports Area. Soil conditions on Sports areas are impoverished and thin, and as trees grow they could be vulnerable to ‘Root Heave’ and ‘Wind Throw’ during gale force/extreme winds

CATEGORIES

A	Trees where retention is most desirable (high category)
B	Trees where retention is desirable (moderate category)
C	Trees which could be retained (low category)
R	Trees for removal (fell category)